


34 g



SCALE N°3



>> Type of uses (*)

This equipment is designed for welding works, brazing and for techniques that do not require the use of a complete hood: flame cutting works, welding at low energy ...
Welding shops, foundries, automotive industry, aeronautics...

>> Technical features

- ✓ Adjustable temple length.
- ✓ Single-piece lens in polycarbonate with integrated sideshield.
- ✓ Black polyamide frame.
- ✓ Attachment points on side arms for neck cord.
- ✓ Scale number 3.
- ✓ Weight: 34 g.
- ✓ Packing: - carton of 100 units.
- bundle of 10 units.



Learn more www.singer.fr

>> Advantages

- ✓ The safety combined with a dynamic and modern design.
- ✓ Easily adjustable sidearms for personalised fit and better protection.
- ✓ Reliability of an **ISO 9001** system in production.
- ✓ The mechanical resistance of polycarbonate.

>> Conformity

This product has been tested according to the following European Standards :

- **EN 166: 2001.** Personal eye-protection; specifications.
- **EN 169: 2002.** Personal eye-protection. Filters for welding and related techniques.
Transmittance requirements and recommended use (Scale number 3).
- **EN 175: 1997.** Equipement for eye and face protection during welding and allied processes.



EU type examination certificate (**module B**) issued by **BSI** (Netherlands). Notified body **n°2797**.

Download the EU declaration of conformity on: <http://docs.singer.fr>

Mechanical protection (EN 175)	Symbole F	Impact resistant against high speed particles (corresponds to the impact of a steel ball with a diameter of 6 mm and a minimum mass of 0.86 g launched at 45 m/s).
Optical quality (EN 166)	Symbole 1	Class 1 continuous works (better quality).
Scale number (EN 169)	Symbole 3	Protection class 3 (filters for welding and related techniques).

Your distributor **SINGER® SAFETY**

