



## Screentouch

### >> Use (\*)

Given to its technical features this glove is ideal for any type of handling and fine manipulations which require to maintain a good touch and maximum sensitivity especially during mid-season thanks to the addition of acrylic fibers. The special composition of the glove allows the use on screens and will help all the delivery drivers, but also for the fork-lift drivers, the logisticians and more generally speaking all the workers in the refrigeration industry, agriculture, construction ...


### >> Technical features

**Construction:** machine seamless knitted gloves. Elastic knitted wrist. Ventilated back.

**Materials:** liners made from acrylic, polyamide and Spandex yarns. Special soft textured nitrile coated palm.

**Color :** blue **Gauge :** 15.

**Sizes :** 7, 8, 9, 10, 11.

**Packing:** - carton of 100 pairs.   
- bundle of 10 pairs.

Learn more : [www.singer.fr](http://www.singer.fr)



### >> Main advantages

- ✓ **Special screentouch glove:** the special composition of this equipment allows use on screen without removing the gloves.
- ✓ **Seamless construction:** improves user comfort will avoid rough points and consequently the risks of reddening or irritation of the skin).Improves dexterity for easy handling of small arts and reduces hand fatigue.
- ✓ **Composition**
  - the polyamide yarn offers high toughness, it provides good resistance against abrasion; it is resistant against mold and fungus. It is low water absorbent.
  - the acrylic yarn provides good protection against the cold in mid-season.
  - The Spandex yarn brings elasticity and excellent user comfort by perfectly matching the shape of the fingers.
- ✓ **Protective coating:** the special textured nitrile coating not only enhances protection but it also provides good wet grip by channeling away excess fluid from the surface.

### >> Conformity


This glove has been tested according to the following European standards :

- **EN 420 : 2003 + A1 : 2009.** Protective gloves - General requirements and test methods.
- **EN 388 : 2016.** Protective gloves against mechanicals risks.

It complies with **European Regulation (EU) 2016/425** on Personal Protective Equipment (PPE). **Category II.** EU type examination certificate (module B) issued by **SATRA (Irland)**. Notified body n°2777.

EN 388: 2016. Protective gloves against mechanical risks							
Mechanical data. Information about levels.	Level 1	Level 2	Level 3	Niveau 4	Level 5	Levels ▼	
Abrasion resistance (number of cycles)	100	500	2000	8000	-	<b>4</b>	
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	<b>1</b>	
Tear resistance (in Newtons)	10	25	50	75	-	<b>2</b>	
Perforation resistance (in Newtons)	20	60	100	150	-	<b>1</b>	
Cut resistance (N) (as per EN ISO13997) (TDM test)	Level A	Level B	Level C	Level D	Level E	Level F	Level
	2	5	10	15	22	30	<b>X</b>

**EN 388 : 2016**



**4 1 2 1 X**

«X» means that the glove has not been submitted to the test.

Your distributor **SINGER® SAFETY**



(\*) Type of use is given as a guide only. It is to the end user to check whether the product is suitable or not for the intended use. Before any use, read carefully the instructions enclosed with the product. Issue LS\_2018\_10\_24. Copyright Singer.